MISSOURI DEPARTMENT OF NATURAL RESOURCES MISSOURI OIL AND GAS COUNCIL

WILLIAM MICCO	LIBLOU AND	ENT OF NATUR BAS COUNCIL IR PERMIT TO			R PL	UG BACK	ECEI JAN 04	2000 <u></u>	37	
APPLICATION		☐ DEEPEN	☐ PLUG			FOR AN OIL W		S Council OR GAS V	VELL	
AME OF COMPANY OR OP	ERATOR					DA	TE 12/3:	1 / 9 9		
Pense Brot	hers Dril	ling Co.,	Inc.			ST	12/3.	ZIP CODE		
DORESS				icktown			MO	63645	5	
800 Newber	ry St., P	.O. Box 55	Il Fleder	ICKCOWI				9		
AME OF LEASE	WELL NUMBER			EL	EVATION (GROUND	886'				
Carl F. Kr	auss Trus	t	GIVE FOOTAGE FR	1	£)			880		
ELL LOCATION	1400	0	**	245	FEET	FROM (E) SE	CTION LINE			
	1400 SECTIO	FT. FROM (N)(S)	SECTION LINE TOWNSHIP		LANGE	C	DUNTY			
Lot 1 of N			43N	2	29W		Cass			
		LOCATION TO PRO	PERTY OR LEASE L	INE 245		FEET		330	FEET	
ISTANCE FROM PR	COCCED : OCATIO	U TO NEAREST DAIL	LING COMPLETE	J OH APPLIED	- FOR	OR CABLE TOOLS	PPROX DATE WOR			
ROPOSED DEPTH	Pen	SE BYOS DI ress as al	ig Co. I	nc,		ary	1/15/	00		
400'	Add	SER OF WELLS ON L	Sies mountains	THIS WELL C			ING TO THIS RE	ESERVOIR	1	
UMBER OF ACRES IN LE	NUME	BER OF WELLS ON L	D WELLS ON LEASE	1 (p	lugo	red)			0	
680	D WITH ONE OR M	ORE WELLS DRILLE	D. FROM WHOM PL	JRCHASED?			NO OF WELLS	PRODUCING	0	
								INJECTION	0	
ADDRESS		N/A						ABANDONED	1	
DDNESS					M c	SLANKET BON	D	DON	FILE	
STATUS OF E	ROND	SINGLE WELL AMOUNT \$ ON TO DEEPEN OR				MOUNT \$ 20	,000.00		ACHED	
			N	/A		ING — TO BE F	LIFD IN SY	STATE GEOL	OGIST	
PROPOSED CAS	NG PROGRAM		0514	AMOUN		SIZE	WT/F		CEM	
AMOUNT	SIZE	14 lb	to surf	AMOUN				> Me		
40'	6.5" 2 7/8"	6.5 lb	to surf					>1		
TD/Surf	2 110									
						of the Pense	Proc D	rla Co.	Inc	
I, the undersign	ed, state that I s	m the Ass't	Vice Pres	ident						
(company) and	that I am autho	rized by said co	mpany to make	this report,	and t	that this report	was prepare	g under my s	upervisio	
and direction as	nd that the facts	stated therein a	re true, correct,	and comple	ete to	the best of my	KIIOwieuge.			
SIGNATURE O	ARO.	o all					DATE			
В	E. Blanc	ett				12/3				
PERMIT NUMBER	20677	1		ER'S LOG REQ			HILL STEM TES		RED IF RUN	
APPROVAL DATE	111/2			ES REQUIRED						
1	14/2000	-		ES NOT REQUES RE		ED AT				
APPROVED BY	enertho	P. 10200	a - Oh .							
NOTE P TH	IS PERMIT NOT TO	ANDERDARIE TO AL	NY OTHER PERSON	OR TO ANY	THER	LOCATION		HERITO OF T	E PROPOSI	
LANGOVAL OF TH	HE DERMIT BY TH	E OIL AND GAS CO LUALIFICATIONS OF	UNCIL DOES NOT	CONSTITUTI	E END	ORSEMENT OF TH	HE GEOLOGIC			
						all Council an	proval of thi	Comp	any confir	
on this form by	presence of a p	mit has been ob permit number a	otained by the and signature of	authorized	counc	cil representativ	DATE			
DRILLER'S SIGNATURE										



MISSOURI DEPARTMENT OF NATURAL RESOURCES

Form OGC-5

	ELL COMPLE				N RE	PORT AN	ND WE	LL LOG					
□ NEW WELL □ W	ORKOVER DE	EPEN [PLUG BACK	□ INJEC	CTION	☐ SAME F	RESERVO	IR DIFFE	RENT F	ESERVOIF	R 🗆 OIL	☐ GAS M DRY	
PENSE BROT	HERS DRI	LLING	Co. ,	Ivc.		ADDRESS P.O.	Box	,A	DRIA	W, ME	64	720	
CARL F.			/			WELL NUMBE	# l	•					
LOTIOFNW/	14 /1400	FN MIT NUMBE	1.245	Flu	02)	Well.	SEC. TWP. AND					
CASS DATE SPUDDED	C PERI	206		GC-31)									
			TAL DEPTH REACHED DATE COMPLE PRODUCE OR I							RT, OR Gr.)	FLANGE	N OF CASING HD.	ET
TOTAL DEPTH	PLUG	BACK TO	TAL DEPTH					800				0102	
PRODUCING OR INJECT	ION INTERVAL(S) FO	OR THIS CO	IS COMPLETION			ROTARY TOOLS USED (INTERVAL)			r.D.	z /2	OLS USED (INTERVAL	-)	
WAS THIS WELL DIRECT DRILLED?	IONALLY WAS		CTIONAL SURVEY MADE?			WAS COPY OF DIRECTIONAL SURVEY FILED?					DATE FILED		
,	ROTHER LOGS RUN	(LIST LOG	DRILLERS LOGS GOLD								DATE FILED		
/vo receire	CALLOS	, OK	/huch	Married Woman, or Widow, Spinster, S	MANUFACTURE PROPERTY.	RECORD					11/0	,,,,,,,	
CASING (REPORT AL	L STRINGS SET I	N WELL - 0	CONDUCTOR,	, SURFACE	, INTE	RMEDIATE,	PRODUC	CING, ETC.)					Page
PURPOSE	SIZE HOLE DRIL				/EIGH1	r (LB. FT)	DE	DEPTH SET		SACKS CEME		AMOUNT PULLED	
SURF	8/4"	2-9/4-1	7"		20	DLB. 3		0		3		-0-	
	Part de							1					
	4-E 18-22 - EV 18-4	1951 440	ent draw		ver-Nontheader		727						water
SIZE	TUBING DEPTH SET	RECORD	SET AT SI	IZE		TOP	LINER RECORD DP BOTTOM SACKS CEMENT SCREEN				SCREEN	-	
N/AIN.	FEE		FEET INCH		FEET		BOTTOM	FEET		VI.E.IVI	FE	ET	
	PERFORATI	ON RECO	RD				ACID,	SHOT, FRACT	URE, C	EMENT SC	UEEZE RE	CORD	
NUMBER PER FEET	SIZE AND TY	PE	DEPTH INTERVAL			AMOUNT AND KIND OF MATERIAL USED					DEPTH INTERVAL		
NAI													
					etermina.	RODUCTION							
DATE OF FIRST PRODUC	A NIECTION	N PRC	DUCING METH	NA		OWING, GAS	LIFT, OR P	UMPING — IF F	UMPING	, SHOW SIZI	E AND TYPE	-	
DATE OF TEST HOU	RS TESTED CHO	KE SIZE	TEST		bbls.	GAS PRODÚCED DURING FEST MCF		WATER PRODUCED DURING TEST bbls.		OIL GRAVITY API (CORI	8.)		
TUBING PRESSURE	CASING PRESSU		TED RATE OF P	PRODUCTION		OIL	bbls.	GAS MCF	WATER	No. 1412	bbis.	GAS OIL RATIO	
DISPOSITION OF GAS (S	TATE WHETHER VE	NTED, USE	FOR FUEL OR	SOLD)	A		0013.	WOF			0013.		
METHOD OF DISPOSAL (OF MUD PIT CONTE	NTS		W.				150	-			E 1	
CUTTINGS 0	vry-71	TES	led w	ith 16	opse	2167	ARED	4 LE U	FLLA	ED JE	Ser	PACE EL.	-
PENSE BROT	INDERSIGNED, STA	NG G	ON THE ASS	SY VF	OMPAN	Y, AND THAT	I AM AUT	HORIZED BY SA	AID COM	PANY TO MA	AKE THIS RE	PORT, AND THAT TH	
REPORT WAS PREPARED	UNDER MY SUPER			ND THAT TH	E FACT	S STATED TH	EREIN ARE	TRUE, CORRE	CT AND	COMPLETE	TO THE BES	ST OF MY KNOWLEDG	E.
11/01/6	20	SIGI	Ry S	RE	5	ance	THE STATE OF THE S	109. 2	eco.		, IN	O	
10.700 00.00			011		142	TTVCL						(5. 4	00



MISSOURI DEPARTMENT OF NATURAL RESOURCES MISSOURI OIL AND GAS COUNCIL

PLUGGING RECORD

OWNER			ADDRESS		7,7,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1			
PENSE BROTHERS	DRILLING	Co., INC.	P.O. Box 551, A.	DRIAN, MO	64720			
CARLF. KRAUSS	TRUST		1	20677 COUNTY				
LOCATION OF WELL LOTI OF NW/4 SEC-TWP-RNG OR BLOCK & SURVEY SEC-TWP-RNG OR BLOCK & SURVEY COUNTY SEC-TWP-RNG OR BLOCK & SURVEY CASS APPLICATION TO DRILL THIS WELL WAS FILED IN NAME OF: HAS THIS WELL EVER PRODUCED CHARACTER OF WELL AT COMPLETION (INITIAL PRODUCTION) DRY?								
APPLICATION TO DRILL THIS WELL WAS FILED	O IN NAME OF: HAS T	HIS WELL EVER PRODUCED GAS?		ETION (INITIAL PRODUC GAS (MCF/DAY)	CTION) DRY?			
PENSE BROS, DELG	CoTiuc	YES ANO	NA	N/A	DRY			
, ,	1	NT WELL PRODUCING PRIOR		GAS (MCF/DAY)				
1/14/00 39	7	NA	NA	NA				
Name of each formation containing oil o gas. Indicate which formation open to well bore at time of abandonment.		of each formation	Depth interval of each for	Size, kind, & depth of plugs used, giving amount cement.				
Penn.	Slightsh	ea water	7-46	70 SACKS CEMEN T.D. TO 4' FROM SUT				
Penn.		Sow or (324-332		e above			
Penn.		ightly Salive	364-397	5	See ABOUR			
Penn.		of Seran	171-185	50	See 4 Bove			
SIZE PUT IN WELL (FT)	PULLED OUT (FT)	LEFT IN WELL (FT)	GIVE DEPTH AND METHOD OF PARTING CASING (SHOT, RIPPED, ETC.)	PACKERS AND SHOES				
7" 50'	-0-	50'	N/A	N	N/A'			
1 30								
	1 2 2							
			,					
WAS WELL FILLED WITH MUD-LADEN FLUID? HOLE PRESSURE COME SACKE TD TO SCUVE BY	m food (10) 70	2 -	MATION CONTAINING FRESH WAT		36476397			
NAME AND ADDRESSES OF AD	IACENT LEASE O	THE RESIDENCE OF THE PROPERTY	THE RESERVE THE PROPERTY OF TH					
NAME		ADDE	RESS	DIRECTI	ON FROM THIS WELL			
SURF. OLEVER	V.		40.0	owns DR	ILL SOTE 9			
CARL F. KRAUSS T	cust na	MAS COTY	, MO	SUNYOUND	Il mule			
?	40	mo ettics:	Qua Hampanyu St.	All de	1/2 mile Rections!			
PENSERVOS DY/9 Co	Ivc. Bo	x 551 Frederic	10000 MD 63645					
METHOD OF DISPOSAL OF MUD PIT CONTENTS	Mus Pit Filled w	contents of 16 70 pso	cuttings & w	ofer only	ACE EL.			
NOTE FILE THIS FORM IN DUPLICATE	WITH: (USE REVERSE SI	DE FOR ADDITIONAL DETAIL	-)					
CERTIFICATE ▶ I, the unders	signed, state that I	am the Assy. 1	O. PRESIDENT	of the Pense R	vos Dulg Co INE			
(Company),	and that I am au	thorized by said cor	mpany to make this repor	t; and that this re	port was prepared under my o the best of my knowledge.			
SIGNATURE SENSE B	YOS DELG	· Co. Luc.	30, 00,100	DATE / / / /	, ,,			
5y' B	o Ola	ncett	10 00 MOU DO BOY 050	11/01/0				

Log Book

Well No. 1 Perm # # 20677

Knauss Trast

mo

Cass

(State)

The state of the state of

(County

3

43N

29 W

(Section)

(Township)

Range

For Pense Brothers Oxilling

(Well Owner)

TOWN OIL CO.

Route 4 Paola, Kansas 66071 913-294-2125

Plugged 1-14-00

Thickness of Strata	Formation	Total Depth	Remarks
0	Soilt clay	3	
7	Brown Sand	10	No alternative de la constantia del constantia de la constantia de la constantia de la constantia del consta
7	Gray Shale	1/2	· · · · · · · · · · · · · · · · · · ·
>	Line	24	
_ 2	state.	26	•
	Landy Shale	27	1.
2	Gray Sand	34	•
5	Sandy Shale	39	
_ >	Sandy Line	36	Little water Den
	SandyShale	53	
3	DK Shale	56	
16	Lime.	72	
2	Gray Stale	74	
3	DK Shale	77	
8	Gray Shalp	85	
2	Lime	87	*
3	DKShale	90	el ar
25	Gravshale	115	
2	Brown Lime	117	
6	Gray Shale	123	'
6	DK shale	129	
6	Gray Sand	135	Little Show of oil
32	Saridy shale	167	· · · · · · · · · · · · · · · · · · ·
2	Lime	169	
2	DK Shale	171	
= 14	Gray Shale	185	(174 2" Coal)
			-3-

•

		185 Total	
Thickness of Strata	Formation	Total Depth	Remarks
5	Shalet Red Bed	190	
18	Gray Sandy Strale		
6	DK shale	214	
2	Coal	216	
6	Gray Shale	222	
	Line	224	
	DK Shale	225	,i
	Coal	227	
21	Gray Shale	248	
3	DK Shale	251	
	Coal	252	
5	DKShale	257	
3	Gray Shale	260	
10	DK Shale	270	
20	Grayshale	290	
/	Coal	291	
33	Gray Sandy Shale	324	
-8	Shrdy Shale	332	(Little show of oil)
260	ray Shale	358	
/	Sandy Lime	359	(Hord)
_5	Gray Shale	364	
33	White Sand	397	(Little water)
19/12		. 3	
-			

-5-

RECEIVE

W. C. LETHCHO

JAN 04 2000

COUNTY ENGINEER & SURVEYOR OIL & Gas Council **Bates County Court House**


BUTLER, MO 64730

VOICE 660-679-4031

FAX 660-679-4935

WELL REFERENCE TIES IN LOT 1 OF THE NORTHWEST QUARTER OF SECTION 3, TOWNSHIP 43 NORTH, RANGE 29 WEST OF THE 5TH PRINCIPAL MERIDIAN IN CASS COUNTY, MISSOURI.





N84°58'W 246.7' TO SPIKE IN SECTION LINE REF#1

N79°51'W 215.5' TO SPIKE IN WDN CORNER POST REF#2

TO 17TH STEEL FENCE POST EAST OF COR POST N41°15'W 27.5' REF#3


NO7°18'E 18.9' TO 19TH REF#4

N53°19'E 28.3' TO 21ST REF#5

S85°15'30"E 334.7' TO KRAUSS WELL #2 REF#6

(3)

WELL #2



Bill Blan

STATE OF MISSOURI

Mel Carnahan, Governor • Stephen M. Mahfood, Director

DEPARTMENT OF NATURAL RESOURCES

P.O. Box 250 111 Fairgrounds Rd. Rolla, MO 65402-0250 (573) 368-2100 FAX (573) 368-2111

August 30, 2000

Mr. Bill Blancett P.O. Box 551 Adrain, MO 64720

RE: Krauss #1 and #2 Wells

Dear Bill,

How have you been lately? I have not heard from you in a while. Anyway, I was wondering what the status is on the above two referenced wells. Have they been completed or plugged? Whichever, please submit the appropriate paperwork.

Sincerely,

DIVISION OF GEOLOGY AND LAND SURVEY

Sherri Stoner

Geologist

Geological Survey Program Wellhead Protection Section

573/368-2195

nrstons@mail.dnr.state.mo.us

Encl.

ATTAL:

ID: SHERRI STONETL, GEOLOGIST

PLEASE FIND ENCLOSED PLUGGING & COMPLETION REPORT ON ABOVE KRAUSS # [WELL PERMIT # 20677. THE KRAUSS # Z. WELL, PERMIT # 20678, WAS NEVER IRLLED, AND WE REQUEST THAT SAME BE CONCELLED. THOUR YOU AND I REGRET THE DELAY IN COMPLYING WITH YOUR REQUEST.

RECYCLED PAPER

Bill Blancett -

NOV 03 2000